



Our Vision – Healthy Kansans living in safe and sustainable environments.

Perinatal Periods of Risk Analysis (PPOR)

A State-Level Analysis: Phase 1 and 2 Kansas, 2005-2009

Jamie S. Kim, MPH
November 18, 2011

Our Vision – Healthy Kansans living in safe and sustainable environments.



Acknowledgement

- Carol Gilbert, MS and Laurin Kasehagen Robinson, MA, PhD at CityMatCH <http://www.citymatch.org/>
- Greg Crawford, BA and Carol Moyer, RN, MPH at KDHE <http://www.kdheks.gov/>
- Kansas Blue Ribbon Panel on Infant Mortality and Connie Satzler (and her staff) <http://kansasinfantmortality.org/>
- All Bureau of Family Health staff (especially Linda Williams, Debbie Richardson, Joseph Kotsch, Jamey Kendall, Marc Shiff and Dave Thomason)

Our Vision – Healthy Kansans living in safe and sustainable environments.



Infant Mortality in Kansas


U.S. 2008, 2009 preliminary data
Source: Bureau of Epidemiology and Public Health Informatics, KDHE; National Center for Health Statistics

Our Vision – Healthy Kansans living in safe and sustainable environments.



The Problem

Infant Mortality Rate Trends Kansas and U.S., 2000-2009




U.S. 2008, 2009 preliminary data
Source: Bureau of Epidemiology and Public Health Informatics, KDHE; National Center for Health Statistics



Our Vision – Healthy Kansans living in safe and sustainable environments.

The Problem

Infant Mortality Rate Trends Kansas and U.S., 2000-2010




U.S. 2008, 2009 preliminary data
Source: Bureau of Epidemiology and Public Health Informatics, KDHE; National Center for Health Statistics



Our Vision – Healthy Kansans living in safe and sustainable environments.

The Problem

Infant Mortality Rate Trends by Non-Hispanic Black and Non-Hispanic White Kansas, 2000-2009




*BNH= non-Hispanic black; **WNH=non-Hispanic white
Source: Bureau of Epidemiology and Public Health Informatics, KDHE

Our Vision – Healthy Kansans living in safe and sustainable environments.



The Problem

Infant Mortality Rate Trends by Non-Hispanic Black, Non-Hispanic White and Hispanic Kansas, 2000-2010



*BNH= non-Hispanic black; **WNH=non-Hispanic white
Source: Bureau of Epidemiology and Public Health Informatics, KDHE

Our Vision – Healthy Kansans living in safe and sustainable environments.



What We're Doing

- The Kansas Blue Ribbon Panel on Infant Mortality
 - <http://kansasinfantmortality.org/index.asp>
 - Releases updated recommendations (Apr 2011) and actionable logic model (Oct 2011)
- Office of Minority Health, Center for Health Equity and Kansas SIDS Network launch – 3 month awareness campaign (Sep- Infant Mortality, Oct – SIDS, Nov – Prematurity)

Our Vision – Healthy Kansans living in safe and sustainable environments.



What We're Doing

- Center for Health Equity and Kansas SIDS Network develop the Quick Card to raise awareness of the seriousness of infant mortality in Kansas.
- SIDS Network of KS expands Safe Sleep Education outreach
- Sedgwick County FIMR releases first annual report

Our Vision – Healthy Kansans living in safe and sustainable environments.



What We're Doing

- Healthy Communities Wyandotte releases recommendations – Oct 2011
- March of Dimes provides grants to Saline, Sedgwick, Shawnee and Geary counties to establish community collaboratives that will address birth disparities through prenatal care and community health partnerships

Our Vision – Healthy Kansans living in safe and sustainable environments.



Purpose

- A recommendation from the Kansas Blue Ribbon Panel on Infant Mortality
- Describes the Perinatal Periods of Risk (PPOR) approach to analyze resident fetal and infant death data in Kansas for the period 2005-2009.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Purpose

- Gain greater insight into the underlying factors contributing to Kansas' fetal and infant deaths.
- Data to Action: Results offer important information that can be used to develop community-based prevention strategies related to racial/ethnic disparities in infant mortality rate (IMR).

Our Vision – Healthy Kansans living in safe and sustainable environments.




Methods

- Perinatal Periods of Risk (PPOR) approach
 - Phase 1: identifies populations and periods of risk with excess mortality
 - Phase 2: explains excess mortality and identifies important risk factors

Our Vision – Healthy Kansans living in safe and sustainable environments.




The Perinatal Periods of Risk



Our Vision – Healthy Kansans living in safe and sustainable environments.



PPOR Intervention Model



Our Vision – Healthy Kansans living in safe and sustainable environments.



Data Sources

- Bureau of Epidemiology and Public Health Informatics, Kansas Department of Health and Environment
 - Fetal death certificate data
 - Live birth certificate data
 - Linked birth-death cohort data

Our Vision – Healthy Kansans living in safe and sustainable environments.



Study Population


- Fetal deaths 2005-2009
 - 24 weeks or greater gestational age
 - 500 grams or larger
- Live births 2005-2009
 - 500 grams or larger
- Linked birth and death data 2005-2009
 - 500 grams or larger
- Residents of Kansas at time of birth

Our Vision – Healthy Kansans living in safe and sustainable environments.



Reference Group

- External: USA 2000-2002 Reference Group
 - Defined by maternal characteristics
 - 20 or more years of age
 - 13 or more years of education
 - Non-Hispanic white women
 - Residents of the US at the time of baby's birth



Total Fetal-Infant Mortality Rate = 5.7

Our Vision – Healthy Kansans living in safe and sustainable environments.



Phase 1

Our Vision – Healthy Kansans living in safe and sustainable environments.



Overall PPOR Map of Fetal-Infant Deaths Kansas, 2005-2009

		Age at Death			
		Fetal Death	Neonatal	Post- neonatal	Total
Birth weight	500-1499 grams	297	279	71	647
	1500+ grams	431	302	467	1200
		728	581	538	1847
Denominator	Fetal Deaths 728	+	Live Births 205,338	=	206,066

Our Vision – Healthy Kansans living in safe and sustainable environments.



Fetal-Infant Mortality Rate Kansas, 2005-2009

		Age at Death			Overall Rate
		Fetal Death	Neonatal	Post- neonatal	
Birth weight	500-1499 grams	3.1			
	1500+ grams	2.1	1.5	2.3	
Period rates add up to overall rate					9.0

Our Vision – Healthy Kansans living in safe and sustainable environments.



Calculating Excess Rates Kansas, 2005-2009

	Maternal Health Prematurity	Maternal Care	Newborn Care	Infant Health	Fetal-Infant Mortality
Kansas	3.1	2.1	1.5	2.3	9.0
Minus					
USA Reference Group*	2.2	1.5	1.1	0.9	5.7
Equals					
Excess Mortality Rates	0.9	0.6	0.4	1.4	3.3

*USA 2000-2002 Reference Group

Our Vision – Healthy Kansans living in safe and sustainable environments.




Displaying Excess Mortality Kansas, 2005-2009

Excess Fetal-Infant Mortality
Rate=3.3




Excess Mortality



Our Vision – Healthy Kansans living in safe and sustainable environments.



Kansas Excess Mortality Kansas, 2005-2009



Our Vision – Healthy Kansans living in safe and sustainable environments.



Non-Hispanic White Kansas, 2005-2009

		Age at Death			
		Fetal Death	Neonatal	Post- neonatal	Total
Birth weight	500-1499 grams	192	176	35	403
	1500+ grams	276	222	301	799
		468	398	336	1202
Denominator	Fetal Deaths 468	+	Live Births 147,560	=	148,028

Our Vision – Healthy Kansans living in safe and sustainable environments.



Fetal-Infant Mortality Rate Non-Hispanic White Kansas, 2005-2009

		Age at Death			Overall Rate
		Fetal Death	Neonatal	Post-neonatal	
Birth weight	500-1499 grams	2.7			8.1
	1500+ grams	1.9	1.5	2.0	
Period rates add up to overall rate					

Our Vision – Healthy Kansans living in safe and sustainable environments.



Calculating Excess Rates Non-Hispanic White (WNH) Kansas, 2005-2009

	Maternal Health/ Prematurity	Maternal Care	Newborn Care	Infant Health	Fetal-Infant Mortality
WNH	2.7	1.9	1.5	2.0	8.1
Minus					
USA Reference Group*	2.2	1.5	1.1	0.9	5.7
Equals					
Excess Mortality Rates	0.5	0.4	0.4	1.1	2.4

*USA 2000-2002 Reference Group

Our Vision – Healthy Kansans living in safe and sustainable environments.




Displaying Excess Mortality Non-Hispanic White Kansas, 2005-2009

Excess Fetal-Infant Mortality
Rate=2.4




Excess Mortality



Our Vision – Healthy Kansans living in safe and sustainable environments.



Non-Hispanic White Excess Mortality Kansas, 2005-2009



Our Vision – Healthy Kansans living in safe and sustainable environments.



Non-Hispanic Black Kansas, 2005-2009

		Age at Death			
		Fetal Death	Neonatal	Post-neonatal	Total
Birth weight	500-1499 grams	44	38	20	102
	1500+ grams	54	24	55	133
		98	62	75	235
Denominator	=	Fetal Deaths 98	+	Live Births 14,004	14,102

Our Vision – Healthy Kansans living in safe and sustainable environments.



Fetal-Infant Mortality Rate Non-Hispanic Black Kansas, 2005-2009

		Age at Death			
		Fetal Death	Neonatal	Post-neonatal	Overall Rate
Birth weight	500-1499 grams	7.2			
	1500+ grams	3.8	1.7	3.9	
Period rates add up to overall rate				16.7	

Our Vision – Healthy Kansans living in safe and sustainable environments.



Calculating Excess Rates Non-Hispanic Black (BNH) Kansas, 2005-2009

	Maternal Health/ Prematurity	Maternal Care	Newborn Care	Infant Health	Fetal-Infant Mortality
BNH	7.2	3.8	1.7	3.9	16.7
Minus					
USA Reference Group*	2.2	1.5	1.1	0.9	5.7
Equals					
Excess Mortality Rates	5.0	2.3	0.6	3.0	10.9


*USA 2000-2002 Reference Group

Our Vision – Healthy Kansans living in safe and sustainable environments.




Displaying Excess Mortality Non-Hispanic Black Kansas, 2005-2009

Excess Fetal-Infant Mortality
Rate=10.9




Excess Mortality



Our Vision – Healthy Kansans living in safe and sustainable environments.



Non-Hispanic Black Excess Mortality Kansas, 2005-2009



Our Vision – Healthy Kansans living in safe and sustainable environments.



Hispanic Kansas, 2005-2009

Age at Death

		Fetal Death	Neonatal	Post-neonatal	Total
Birth weight	500-1499 grams	42	49	13	104
	1500+ grams	81	43	87	211
		123	92	100	315
Denominator =		Fetal Deaths 123	+	Live Births 32,832	32,955

Our Vision – Healthy Kansans living in safe and sustainable environments.



Fetal-Infant Mortality Rate Hispanic Kansas, 2005-2009

		Age at Death			Overall Rate
		Fetal Death	Neonatal	Post-neonatal	
Birth weight	500-1499 grams	3.2			9.6
	1500+ grams	2.5	1.3	2.6	
Period rates add up to overall rate					

Our Vision – Healthy Kansans living in safe and sustainable environments.



Calculating Excess Rates Hispanic Kansas, 2005-2009

	Maternal Health/ Prematurity	Maternal Care	Newborn Care	Infant Health	Fetal-Infant Mortality
Hispanic	3.2	2.5	1.3	2.6	9.6
Minus					
USA Reference Group*	2.2	1.5	1.1	0.9	5.7
Equals					
Excess Mortality Rates	1.0	1.0	0.2	1.7	3.9

*USA 2000-2002 Reference Group

Our Vision – Healthy Kansans living in safe and sustainable environments.




Displaying Excess Mortality Hispanic Kansas, 2005-2009

Excess Fetal-Infant Mortality
Rate=3.9




Excess Mortality



Our Vision – Healthy Kansans living in safe and sustainable environments.



Hispanic Excess Mortality Kansas, 2005-2009



Our Vision – Healthy Kansans living in safe and sustainable environments.



Phase I: Summary

Our Vision – Healthy Kansans living in safe and sustainable environments.



Excess Fetal-Infant Mortality Rates Kansas, 2005-2009

	Maternal Health/ Prematurity	Maternal Care	Newborn Care	Infant Health	Excess Fetal-Infant Mortality
Kansas	0.9	0.6	0.4	1.4	3.3
White NH*	0.5	0.4	0.4	1.1	2.4
Black NH*	5.0	2.3	0.6	3.0	10.9
Hispanic	1.0	1.0	0.2	1.7	3.9

*NH = non-Hispanic

Our Vision – Healthy Kansans living in safe and sustainable environments.



Calculating excess number of deaths from fetal-infant mortality rates Kansas, 2005-2009

Formula:

Estimated number of excess deaths = Rate*Denominator/1000

Race/Ethnic Group	Overall Excess Mortality Rate	Live Births and Fetal Deaths	Multiply	Number of Excess Deaths
Kansas	3.3	206,479		681
White NH*	2.4	148,267		356
Black NH*	10.9	14,191		155
Hispanic	3.8	33,011		125

*NH=Non-Hispanic

Our Vision – Healthy Kansans living in safe and sustainable environments.



Estimated Excess Number of Deaths Kansas, 2005-2009

Adobe Acrobat Document

	Maternal Health/Prematurity	Maternal Care	Newborn Care	Infant Health	Excess Fetal-Infant Mortality
Kansas	186	124	83	289	681
White NH*	74	59	59	163	356
Black NH*	71	33	9	43	155
Hispanic	33	33	7	56	129

*NH = non-Hispanic

Our Vision – Healthy Kansans living in safe and sustainable environments.



Phase 2

Our Vision – Healthy Kansans living in safe and sustainable environments.



Excess Fetal-Infant Mortality Rates Kansas, 2005-2009

	Maternal Health/ Prematurity	Maternal Care	Newborn Care	Infant Health	Excess Fetal-Infant Mortality
Kansas	0.9	0.6	0.4	1.4	3.3
White NH*	0.5	0.4	0.4	1.1	2.4
Black NH*	5.0	2.3	0.6	3.0	10.9
Hispanic	1.0	1.0	0.2	1.7	3.9

*NH = non-Hispanic

Our Vision – Healthy Kansans living in safe and sustainable environments.



Part A: Infant Period

Our Vision – Healthy Kansans living in safe and sustainable environments.



Underlying cause of death

- Birth defects (Q00-Q99)
- Infections (A00-B99, G009, J180 and J189)
- Injuries (V01-Y89)
- Perinatal conditions (P00-P96)
- Sudden Infant Death Syndrome (SIDS) (R95)
- Other ill-defined and unspecified causes of mortality (R99), and other causes.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Part A: Infant Period



Our Vision – Healthy Kansans living in safe and sustainable environments.




Part B: Maternal Health/Prematurity Period

Kitagawa Analysis

Our Vision – Healthy Kansans living in safe and sustainable environments.



Components of the Excess Fetal Infant Mortality Rates (FIMR) in non-Hispanic Black Kansas, 2005-2009



Our Vision – Healthy Kansans living in safe and sustainable environments.




Conclusion

Our Vision – Healthy Kansans living in safe and sustainable environments.



PPOR Intervention Model



Our Vision – Healthy Kansans living in safe and sustainable environments.



Conclusion

- Cause of excess fetal-infant death and consequent opportunities for intervention vary according to the mother's race/ethnicity.
- The data translate to targeted interventions for improving preconception health of non-Hispanic black mothers in particular, as well as improving their overall health behaviors and receipt of prenatal care (maternal health/prematurity issues).

Our Vision – Healthy Kansans living in safe and sustainable environments.



Conclusion

- The model also defines the need for targeted interventions to better provide and monitor infant care, especially of non-Hispanic black and Hispanic infants, in the post-neonatal period. This includes the promotion of breastfeeding, prevention of SIDS, and prevention of life-threatening injury.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Conclusion

- The rate of excess fetal infant deaths among non-Hispanic blacks and Hispanics in the maternal care component of PPOR highlights the importance of improving access to and utilization of prenatal care services and referrals for high-risk pregnancies.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Conclusion

- To significantly impact Kansas overall IMR, community-specific, tailored prevention efforts on prematurity, safe sleep, and injury prevention may be necessary.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Public Health Implication

- Complex factors necessitate a multi-pronged approach to reduce Kansas' overall IMR and collaborative efforts of community members, public health, and the medical community.

Our Vision – Healthy Kansans living in safe and sustainable environments.



References

- Infant Mortality in Kansas. Kansas Blue Ribbon Panel on Infant Mortality. April 2011
- Handouts from Prematurity Briefing 2011. March of Dimes, 2011 Prematurity Conference. Sue Lyddon Hall, MD, Prediatix Medical Group, Stormont-Vail HealthCare

Our Vision – Healthy Kansans living in safe and sustainable environments.



References

- Handouts from CityMatCH PPOR Workshop “Perinatal Periods of Risk: Using Data and Community Involvement to Prevent Infant Mortality.” 2009 MCH Epidemiology Pre-Conference Data Skills Trainings.
- Perinatal Periods of Risk (PPOR) materials from CityMatCH website.
http://www.citymatch.org/ppor_index.php

Our Vision – Healthy Kansans living in safe and sustainable environments.



References

- Perinatal Periods of Risk: Analytic Preparation and Phase 1 Analytic Methods for Investigating Feto-Infant Mortality. *Matern Child Health J* (2010) 14:838-850
- Infant Mortality and Morbidity in Houston, Texas: 1999-2003. A report from the Neighborhood Centers Inc. SUNNY FUTURES Healthy Start Consortium. Data Subcommittee

Our Vision – Healthy Kansans living in safe and sustainable environments.



References

- Perinatal Periods of Risk: Phase 2 Analytic Methods for Further Investigating Feto-Infant Mortality. *Matern Child Health J* (2010) 14:851-863
- Jinwen Cai, Gerald L. Hoff, Rex Archer, Larry D. Jones, Paula S. Livingston, and V. James Guillory. Perinatal Periods of Risk Analysis of Infant Mortality in Jackson County, Missouri. *J Public Health Management Practice*, 2007, 13(3),270-277

Our Vision – Healthy Kansans living in safe and sustainable environments.



References

- Perinatal Periods of Risk Analysis, Muscogee County, 1999-2003. Georgia Epidemiology Report. August 2007. Volume 23, Number 08.

Our Vision – Healthy Kansans living in safe and sustainable environments.



Thank you!

Our Vision – Healthy Kansans living in safe and sustainable environments.



Jamie S. Kim, MPH
MCH Epidemiologist

Bureau of Family Health
Kansas Department of Health and Environment
jkim@kdheks.gov
785-296-6467

<http://www.kdheks.gov/c-f/index.html>

Our Vision – Healthy Kansans living in safe and sustainable environments.



Our Vision – Healthy Kansans living in safe and sustainable environments.