Kansas City Fetal Infant Mortality Review

Case Review Team Report to the Community Action Team

David Mundy, MD, Chair, Case Review Team Mary Jean Brown, MS, RNC, Coordinator, FIMR Program Jinwen Cai, MD, MS, KCMO Health Department

April 2011

Fetal Infant Mortality Review

- Six Years of Review 9/2004-4/2011
- 109 Cases Reviewed as of April 2011
- 10 ZIP Codes, Kansas City, Missouri

```
64109 64110 64123 64124 64127
64128 64130 64131 64132 64134
```

Demographics of FIMR Mothers

	FIMR GROUP	CITY LIVE BIRTHS
	n=109	n=7744
	April 2011	KCMO data 2009
Age range	16-41	13-51
<20 yrs	18.3%	11.4%
20 - 34 yrs	72.5%	77.2%
35 + yrs	9.0%	11.4%
African American	84.4%	37.3%
Single	88.9%	51.4%
Medicaid	89.3%	51.4%

Four Trends Persist with Analysis of 109 Cases

- Nutrition (obesity)
- Little or no prenatal care
- Addiction to alcohol / tobacco / drugs
- Asthma

BMI Categories

	FIMR GROUP _{n=109}		CITY LIVE BIRTHS n=7744
	April 2011	October 2010	KCMO data 2009
Normal Weight	31.2%	29.1%	48.5 %
Underweight	2.8%	2.9%	4.0 %
Overweight	23.9%	23.3%	24.2%
Obese	35.8%	35.9%	23.3 %

Prenatal Care

	FIMR GROUP n=109		CITY LIVE BIRTHS n=7744
	April 2011	October 2010	KCMO data 2009
Adequate Care	30.6%	31.4%	85.9%
Marginal Care	6.1%	6.5%	9.9%
Inadequate Care (49/109)	63.3%	63.0%	4.1%

Smoking / Alcohol / Drugs During Pregnancy

	FIMR GROUP n=109		CITY LIVE BIRTHS n=7744
	April 2011	October 2010	KCMO data 2009
Smoking	39.4%	38.8%	11.4%
Alcohol	8.3%	8.7%	0.7%
Drugs	22.0%	25.2%	1.7%

Asthma

Asthma rate in FIMR ZIP codes is 20.2%

Mortality by ZIP Code

Zip Codes	Infant Deaths	Fetal Deaths	Total
64109	1	1	2 (1.8%)
64110	5	5	10 (9.1%)
64123			
64124	3	0	3 (2.7%)
64127	6	9	15 (13.7%)
64128	13	9	22 (20.1%)
64130	17	10	27 (24.7%)
64131	1	2	3 (2.7%)
64132	15	9	24 (20.1%)
64134	1	2	3 (2.7%)
Total	62	47	109 (100%)

Live Born Deaths

- 109 deaths reviewed YTD
 - 47 Fetal Deaths
 - 62 Infant Deaths

34 of 62 babies born alive died of complications of prematurity

- 24 babies were < 24 weeks gestation
- 10 babies were < 37 weeks gestation

8 babies died of chromosomal defects or congenital anomalies

10 deaths were attributed to perinatal factors and other reasons

3 babies died of Sudden Infant Death Syndrome (SIDS)

7 babies died of unsafe sleeping conditions

Infant Mortality Rate

IMR measures the risk of dying during the first year of life

Healthy People 2010 Goal IMR	4.5 / 1000 live births
------------------------------	------------------------

National IMR 6.8 / 1000 live births

Data 2005, CDC

Missouri IMR 7.2 / 1000 live births

Data 2008

Kansas City IMR 8.2 / 1000 live births

Data 2008

S:All Programs/FIMR Project/Bi-annual Report to CAT/FIMR Report to CAT April 2011.doc