# 2011 Infant Mortality Awareness Campaign Summary of Online Statistics and Awareness Activities



Blue Ribbon Panel on Infant Mortality November 18, 2011



## Statewide Campaign Activities and Resources


- Updated materials to Blue Ribbon Panel website (Sept, Oct, Nov) fact sheets, media toolkit, resources, etc.
- 3 proclamations signed by Governor Brownback and two photo opportunities (SIDS Awareness Month, Prematurity Awareness Month)
- Blue Ribbon Panel member events (e.g., Sedgwick County, Mother & Child Health Coalition)
- KDHE-based tweets (once a week Sept, Oct, Nov)
- KDHE Friday Flash (SIDS Awareness Month, Prematurity Awareness Month) goes to state employees
- KDHE Facebook
- KDHE webpage (SIDS Awareness Month a featured health promotion month)
- KDHE press releases (all three months)
- BrushArt Facebook Ad (3 weeks)
- Quick card, poster, banner tagline
- "Second Wave" county efforts (Butler, Saline, Greenwood, Elk, Chautauqua)










KDHE Facebook Page Postings		
Date	Views	Article Text
Nov. 9	281	A great resource: Kansas Blue Ribbon Panel recommendations which suggest actions to reduce and prevent infant death: <a href="www.kansasinfantmortality.org">www.kansasinfantmortality.org</a>
Nov. 8	368	Studies have found that certain lifestyle factors may put a woman at greater risk of preterm labor. Check the factors at: <a href="http://l.usa.gov/uHkUsw">http://l.usa.gov/uHkUsw</a>
Nov. 2	547	Governor Brownback declared November as Prematurity Awareness Month.
Oct. 26	329	Leading causes of infant deaths in Kansas are congenital anomalies (20%), pre-term birth/low birth weight (18%), Sudden Infant Death Syndrome (SIDS) (15%), and maternal complications of pregnancy (10%)
Oct. 25	524	About one-in-five SIDS deaths occur while in the care of someone other than the parent. Talk about Safe Sleep Practices with Everyone Who Cares for Your Baby!
Oct. 12	539	Read more about the Kansas City Healthy Start Program (a program of the Maternal & Child Health Coalition) at: <a href="https://www.mchc.net/programs/healthy_start.aspx">https://www.mchc.net/programs/healthy_start.aspx</a>
Oct. 11	558	Babies who sleep on their tummies are at five times greater risk for SIDS.
Oct. 6	482	SIDS is most common for infants two to four months of age who appear healthy, but die without warning during sleep. Since the Back to Sleep Campaign, SIDS deaths have decreased by about 50 percent.
Oct. 4	632	Read the Kansas Blue Ribbon Panel recommendations which suggest further actions to reduce and prevent infant death: www.kansasinfantmortality.org











## www.kansasinfantmortality.org

#### Prior to Campaign

(Oct.  $1^{st} - 30^{th}$ )

- 95 Visits (83 unique)
- 186 Page views
- 1.96 Pages / Visit
- Average Time on Site: 3min 35sec
- Approximately half of site visitors
   made additional clicks beyond the home page.

### **During Campaign**

(October 31st - Nov. 13th)

- 622 Visits (585 unique)
- 723 Page views
- 1.16 Pages / Visit
- Average Time on Site: 18sec
- Approx. 10% of visitors clicked beyond the home page.



