

Children and Adolescents Indicator List - Last Updated 12/4/09



Code⁴ Health Indicator

		Kansas				United States		Notes Related to Current ² Data				
		Historical ¹		Current ²		Historical ¹	Current ²	HP2010 Goal ³	Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
Demographics												
CA1	Children ages 0-19	780,624 (2002)		782,430 (2008)					1		Yes	
	White	685,469	87.8%	680,145	86.9%							
	Black or African American	66,284	8.5%	70,693	9.0%							
	American Indian or Native Alaskan	10,856	1.4%	11,620	1.5%							
	Asian or Native Hawaiian or Other PI	18,015	2.3%	19,972	2.6%							
	Hispanic	83,780	10.7%	107,481	13.7%							
	Non-Hispanic	696,844	89.3%	674,949	86.3%							
Socioeconomic Factors												
Grandparents												
CA2	Percent of grandparents with their own grandchildren under 18 years in households		2.5% (2005)		2.4% (2008)	3.6% (2005)	3.7% (2008)		2	2	No, 2008; Yes, 2000	2008 county level data available for DG, JO, LV, RL, SG, SN, WY
CA3	Percent of grandparents responsible for their grandchildren under 18 years of age who are in poverty		11.7% (2004)		13.3% (2008)	18.8% (2004)	19.5% (2008)		2	2	No, 2008; Yes, 2000	2008 county level data available for DG, JO, LV, RL, SG, SN, WY
Other Socioeconomic Factors												
CA4	Percent of individuals with related children under 5 years below poverty in the past 12 months		15.8% (2004)		18.8% (2008)	21.0% (2004)	21.2% (2008)		2	2	No, 2008; Yes, 2000	2008 county level data available for DG, JO, LV, RL, SG, SN, WY
CA5	Percent of individuals with related children 5-17 below poverty in the past 12 months		10.0% (2004)		12.1% (2008)	16.9% (2004)	16.5% (2008)		2	2	No, 2008; Yes, 2000	2008 county level data available for DG, JO, LV, RL, SG, SN, WY
CA6	Percent of children under 19 years of age at or below 200% of the Federal Poverty level without health insurance		5.9% (2002)		7.7% (2008)	7.5% (2002)	6.4% (2008)		3	3	No, 2008; Yes, 2000	2008 county level data available for DG, JO, LV, RL, SG, SN, WY
Health Status / Health Risk Indicators												
CA7	Percent of children without health insurance.	57,000 (2002)	8.1% (2002)		11.0% (2008)	11.6% (2002)	9.9% (2008)		3	3	No	Children aged under 18
CA8	Percent of children who are overweight (>=95th).		12.6% (2003)		13.3% (2008)	14.3% (2002)	14.8% (2008)	5% age 6-19	4	4	Yes	WIC children ages 2-5
CA9	Percent of children, ages 2 to 5 years, receiving WIC services with a Body Mass Index (BMI) at or above the 85th percentile.	7,744 (2003)	28.6% (2003)	10,306 (2008)	30.0% (2008)	29.7% (2002)	31.3% (2008)		4	4	Yes	WIC children ages 2-5



Code⁴ Health Indicator

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
CA10	Prevalence of anemia in children.		10.9% (2003)		11.4 (2008)	13.1% (2002)	14.9% (2008)	5% age 1-2 1% age 3-4	4	4	Yes	WIC childrne age<5 (low Hb/Hct)
CA11	Percent of 19 to 35 month olds who have received full schedule of age appropriate immunizations against Measles, Mumps, Rubella, Polio, Diphtheria, Tetanus, Pertussis, Haemophilus Influenza, and Hepatitis B (4:3:1:3:3).		66.8% (2002)		78.2% (2008)	74.8% (2002)	78.2% (2008)	90%	5	5	No	
CA12	Percent of third grade children who have received protective sealants on at least one permanent molar tooth.	11,485 (2004)	34.2% (2004)	13,176 (2007)	38.2% (2007)				6		No	
CA13	Percent of EPSDT eligible children aged 6 through 9 years who have received any dental services during the year.	13,526 (FFY2002)	37.5% (FFY2002)	24,094 (FFY2008)	56.3% (FFY2008)				7		Yes	Percent of Kan be Healthy eligible children aged 6-9 who have received at least one dental screen
CA14	Rate/1,000 of children under 18 years of age who are victims of child abuse and neglect.		10.2 (2001)	2,272 (2007)	3.3 (2007)	12.4 (2001)	10.6 (2007)	10.3	8		No	
CA15	Number of children within a defined population found to have blood lead levels of >=10 micrograms/deciliter	262 (2001)		140 (2008)					9		Yes	Children <72 months of ages
CA16	Reduce use of cigarettes in past month by students in grades 9 through 12 to 16%.		26.1% (2000) 21.1% (2002)		20.6% (2007)	28.0% (2000)	20.0% (2007)	16%	10	10	No	

Motor Vehicle Crashes

CA17	Rate of deaths to children aged 14 years and younger caused by motor vehicle crashes per 100,000 children	29 (2002)	6.1 (2001) 5.1 (2002)	21 (2008)	3.6 (2008)	4.1 (2001)	3.5 (2006)		11	12	Yes	County level data: unintentional Injury, need to Combine Years
CA18	Death rate per 100,000 from unintentional injuries due to motor vehicle crashes among youth aged 15 through 24 years.	164 (2002)	39.6 (2002)	107 (2008)	26.0 (2008)		26.1 (2006)		11	12	Yes	
CA19	Rate per 100,000 of nonfatal injuries due to motor vehicle crashes among children > aged 14 years and younger.	169 (2002)	28.7 (2002)	159 (2007)	27.6 (2007)				13		Yes	Based on "disabling" injuries to motor vehicle occupants, pedestrians, and pedacyclists resulting from motor vehicle crashes occurring in-state.
CA20	Rate per 100,000 of nonfatal injuries due to motor vehicle crashes among children aged 15 through 24 years.	744 (2002)	185.9 (2002)	575 (2007)	140.0 (2007)				13		Yes	Based on "disabling" injuries to motor vehicle occupants, pedestrians, and pedacyclists resulting from motor vehicle crashes occurring in-state.



Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		

CA21	Percent of children/adolescents safety restraint use in a motor vehicle crash by age groups 0-3, 4-13.	age 0-3 3,857 (2002)	age 0-3 71.7% (2002)	age 0-3 3,814 (2008)	age 0-3 95.8% (2008)				14		Yes	The Child Passenger Safety Act (KSA 8-1344), which requires all children under the age of four to be in a federally-approved child safety seat.
		age 4-13 11,117 (2002)	age 4-13 89.5% (2002)	age 4-13 8,741 (2008)	age 4-13 93.2% (2008)							

Other Mortality

CA22	Child death rate per 100,000 children aged 1 through 14.	130 (2002)	23.6 (2001) 24.3 (2002)	115 (2008)	21.3 (2008)	21.6 (2001)			11	12	Yes	
CA23	Death rate per 100,000 due to unintentional injuries among children aged 14 years and younger.	62 (2002)	10.8 (2002)	54 (2008)	9.3 (2008)				11		Yes	

Hospitalization Data

CA24	Rate of children hospitalized for asthma (ICD-9 Codes: 493.0-493.9) per 10,000 children less than 5 years of age	615 (2001)	27.1 (1999) 32.6 (2001)	649 (2007)	33.1 (2007)	55.4 (1999)		25	15	16	Yes	
CA25	Rate per 100,000 of all nonfatal injuries among children aged 14 years and younger	1,006 (2001)	171.0 (2001)	1,564 (2007)	271.8 (2007)				15		Yes	
CA26	Rate of respiratory inpatient hospitalizations per 10,000 children age 1-4	2,386 (2001)	160.3 (2001)	2,451 (2007)	157.4 (2007)				15		Yes	

Mental Health

CA27	Rate of adolescents ages 15-19 hospitalized for self-harm (ICD-9 Codes: E950 -E9599) per 10,000 population	208 (2000)	9.9 (2000)	194 (2007)	9.6 (2007)				15		Yes	Female to Male ratio, about 2:1
CA28	Rate (per 100,000) of suicide deaths among youths aged 15 through 19.	18 (2002)	13.3 (2001) 8.7(2002)	67 (2006-08)	11.1 (2006- 2008)	8.0 (2001)	7.31 (2006)		11	12	Yes	
CA29	Percent of children and adolescents that receive behavioral/mental health services.	41,411 (2004)	4.9% (2004)	51,407 (2007)	6.0% (2007)				17			



Code⁴ Health Indicator

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		

Sexual Behavior

CA30	Rate per 1,000 women aged 15 through 19 years with a reported case of Chlamydia.	2,256	22.4 (2002)	2,748	28.5 (2008)		30.0 (2007)		18	19	Yes	
Preg1	Rate of birth (per 1,000) for teenagers (females) aged 15 through 17 years.	1,261 (2002)	21.2 (2002)	1,261 (2008)	22.0 (2008)	23.2 (2002)	(preliminary, 2007)		11	20	Yes	Residence data
Preg2	Pregnancy rate per 1,000 adolescents (females) ages 15-17	1,684 (2002)	28.3 (2002)	1,552 (2008)	27.1 (2008)		41.5 (2004)		11	21	Yes	Residence data, teenage pregnancies include the sum of live births, stillbirths and abortions
Preg3	Pregnancy rate per 1,000 adolescents (females) ages 15-19	5,500 (2002)	60.7 (1999) 54.7 (2002)	5,305 (2008)	55.0 (2008)	86.7 (1999)	72.2 (2004)		11	21	Yes	Residence data, teenage pregnancies include the sum of live births, stillbirths and abortions

Additional Detail Data

Demographics

CA31	% Foreign born				2.7		4.1		22	22		
CA32	% Age of Children under 18								22	22		
	<3				16.9		16.5					
	3-5				16.5		16.6					
	6-11				33.0		33.2					
	12-17				17.5		17.6					
CA33	% children (0-19) living in								1			
	metro			449,192	62.7							
	urban			535,902	74.8							
	rural			161,120	22.5							
	frontier			18,967	2.6							
CA34	% of household relationships under 18								22	22		
	own child				91.2		89.0					
	grandchild				4.5		6.3					
	other relatives				2.2		2.7					
	foster or unrelated child				2.1		1.9					
CA35	% of unmarried partner in households with children under 18				5.7		6.3		22			
CA36	% children living in household with Supplemental Security Income (SSI), cash public assistance income, or Food Stamps in the past 12 months				14.4		18.6		23			
CA37	% in TANF (grant) Families				5.9				23			
CA38	% living in foster homes	7,507	0.9	9,187	1.2				23			
CA39	% enrolled in food stamps	63,157	6.8	142,329	18.3				23			
CA40	% enrolled in WIC	78,626	9.7	91,406	11.8				24			
CA41	% Grandparent householder responsible for own grandchildren under 18 years				2.5		3.5		22	22		



Code⁴ Health Indicator

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
CA42	% of children in families of							22	22			
	Husband-wife				70.0		68.8					
	Male reference				7.1		6.3					
	Female reference				22.9		24.9					
CA43	% of children in poverty by family types							22	22			
	Husband-wife				7.5		9.2					
	Husband				20.4		22.3					
	Wife				46.6		43.4					
CA44	% of children in husband-wife families by race							22	22			
	White				72.5		74.8					
	Black				46.1		37.8					
	Native American				41.8		53.1					
	Asian				82.4		83.5					
	Pacific Islander (includes Hawaiian)				NE		64.5					
	Multiracial				63.0		62.4					
CA45	% of children in impoverished families by race							22	22			
	White				16.3		14.5					
	Black				39.2		34.1					
	Native American				35.9		32.3					
	Asian				12.0		11.9					
	Pacific Islander (includes Hawaiian)				NE		123.2					
	Multiracial				24.4		18.6					
CA46	Insurance Type All Children							25	25			
	Employer				55.9		55.3					
	Individual				6.3		4.4					
	Medicaid				28.0		27.6					
	Other Public				NE		1.4					
	Uninsured				7.7		11.0					
CA47	% of children enrolled in Medicaid			214,260	27.6			26				
CA48	% of children enrolled in SCHIP			60,156	7.7			27				
CA49	% of children in =<200% FPL with insurance				33.4		33.9	25	25			
CA50	% of Children (0-18) in poverty				22.0		23.0	28	28			
CA51	Federal Poverty Level											
	<=50%				6.0			22				
	<=100%				17.4			25				
	<=200%				40.1			25				
CA52	Insurance Type Children living in Poverty							29	29			
	Employer				15.0		12.6					
	Medicaid				63.7		62.5					
	Uninsured				14.0		20.4					
CA53	% of children <i>without</i> chronic conditions				75.6		77.7	28	28			
CA54	% of children with one or more current conditions that are moderate or severe				11.3		10.6	28	28			
CA55	% of adults with children				38.0		36.0	25	25			
CA56	% children with US citizenship				98.0		97.0	25	25			



Code ⁴	Health Indicator	Kansas		United States		HP2010 Goal ³	Notes Related to Current ² Data		
		Historical ¹		Current ²			Source	County-level?	Comments
		Number	Statistic	Number	Statistic				

CA57	% children (5-17) population that do speak English not well or not at all that speak							22	22		
	Spanish				1.9						
	Other Indo-European				0.1						
	Asian or Pacific Island				0.2						
	Other				0.0						
CA58	Number of foster children			524				30			
CA59	% without special need				27.0						
CA60	mean age of adoption finalized (years)				6.8						average across 50 states

Immunization

CA61	Children 19-35 months that receive DTP, polio, MCV, HepB, and HIB		66.8		78.2			5	5		
CA62	4:3:1:3:3 in poverty				81.8						
	Adolescents boosters at least once							5	5		
CA63	Tdap				46.8						
CA64	MCV4				25.6						
CA65	HPV4 (females)				30.1						

Health Status

CA66	Percent of children in excellent or very good health				85.3			28	28		
CA67	Percent of children with excellent or very good oral health				71.3			28	28		
CA68	Percent of children age 0-5 with injuries requiring medical attention in the past year				10.2			28	28		
CA69	Percent of children age 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns				27.4			28	28		
CA70	Percent of children age 6-17 who exhibit two or more positive social skills				94.2			28	28		
CA71	Percent of children age 6-17 who missed 11 or more days of school in the past year due to injury or illness				7.0			28	28		
CA72	% of children who got enough sleep every night in past week				59.6			28	28		
CA73	% of children (10-17 years) who are overweight or obese				31.1			28	28		
CA74	% of children (6-17 years) who engaged in rigorous physical activity more than 3 times in past week				65.9			28	28		
CA75	Rate of child deaths (1-14 years) per 1000				23.0			29	29		
CA76	Rate of teen (15-19) deaths per 1000				66.0			29	29		
CA77	% high schoolers who have ever been told they had asthma				20.1			10	10		
CA78	Child Abuse/neglect							31	31		
CA79	Total Rate of referrals	29,786	41.8	31,402	45.1			31	31		
CA80	Rate child victims	8,356	11.7	2,272	3.3			31	31		
CA81	% first time victims			1,906	87.2			31	31		



Code⁴ Health Indicator

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
CA82	Race/Ethnic Rate								31	31		
	Black	1,228	18.7	279	5.6		16.7					
	NIAN	96	8.3	18	2.8		14.2					
	Asian	43	2.6	14	0.9		2.4					
	Hispanic	226	2.8	145	1.6		10.3					
	Multiple Race	114		76	3.5		14.0					
	PI	*		4	9.6		13.7					
	White	6,203	8.9	1,708	3.3		9.1					
	% population by type of maltreatment								31	31		
CA83	Medical neglect	2,187	26.2	40	1.8		0.9					
CA84	Multiple maltreatments			211	9.3		13.1					
CA85	Neglect	6,438	77.0	413	18.2		59.0					
CA86	Other	6,895	88.0	466	20.5		4.2					
CA87	Physical Abuse	4,537	54.3	332	14.6		10.8					
CA88	Psychological Maltreatment	7,362	88.1	226	9.9		4.2					
CA89	Sexual Abuse	2,293	27.4	583	25.7		7.6					
CA90	Rate of child Fatalities from abuse			10	1.4		2.4		31	31		

Injuries (rates per 100,000)

CA91	All fatal injuries age adjusted per 100,000 for children (0-19)	670	27.5	713	22.4		20.9		32	32		
CA92	Unintended	505	20.7	542	17.0		14.5					
CA93	Violence-related	78	3.2	82	2.6		3.8					
CA94	Suicide	78	3.1	81	2.5		2.2					
CA95	Undetermined	9	0.4	8	0.3		0.4					
	Injury deaths age adjusted per 100,000 for children (0-19)								32	32		
CA96	Drowning	29	1.2	42	1.3		1.4					
CA97	Fire/burn	37	1.6	29	0.9		0.7					
CA98	Firearm	99	4.0	97	3.0		3.6					
CA99	Suffocation	67	2.8	67	2.2		2.5					
CA100	Occupant in motor vehicle	236	9.6	293	9.2		4.3					
CA101	Pedal cyclist (includes motor vehicle)	3	0.1	8	0.3		0.2					
CA102	Pedestrian (includes motor vehicle)	25	1.0	24	0.8		1.1					
CA103	Poisoning	10	0.4	31	1.0		1.2					
CA104	Rate of all nonfatal hospitalizations for nonfatal injuries by age group								33	33		
	0-4			552	149.9		286.1					
	5-14			562	300.4		225.9					
	15-24			1,929	463.4		484.0					
CA105	Unintended fall-related hospitalizations by age group								33	33		
	0-4			143	38.8		79.4					
	5-14			158	84.5		63.8					
	15-24			171	41.1		44.6					
CA106	Firearm-related hospitalizations (15-24)			96	23.1		29.1		33	33		
CA107	Assault-related Hospitalizations (15-24)			202	48.5		58.8		33	33		



Code⁴ Health Indicator

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
CA108	Motor vehicle traffic hospitalizations by age group							33	33			
	0-4			60	16.3		21.4					
	5-14			92	49.2		35.3					
	15-24			527	126.6		130.7					
CA109	% Motor vehicle accident with improper or no restraints used in children (0-17)			68	55.7		38.1		34	34		
CA110	% Police reported alcohol involved in motor vehicle crashes with children (0-17)			7	8.9		3.1		34	34		
CA111	Poisoning indicator hospitalizations by age group								32	32		
	0-4			100	27.2							
	5-14			57	30.5							
	15-24			459	110.3							
CA112	Suicide attempt hospitalizations by age group								32	32		
	0-14			42	7.6		6.4					
	15-24			361	86.7		70.2					
CA113	Traumatic brain injury hospitalizations by age group								32	32		
	0-4			123	33.4		73.8					
	5-14			125	66.8		46.8					
	15-24			458	110.0		100.5					
CA114	% students suicides that needed medical attention				2.1		2.0		10	10		
CA115	% who rarely or never wear a bicycle helmet				88.6		85.1		10	10		
CA116	% who rarely or never wear a car seatbelt				15.0		11.1		10	10		
CA117	% students who rode with a driver in past month that had alcohol				30.7		29.1		10	10		
CA118	% high schoolers that attempted suicide				6.7		6.9		10	10		

Deaths of Children (0-14 years)

CA119	Total	412		418					35		
	% Male	227	55.1	237	56.7						
CA120	Age Group (rates per 10,000)								35		
	rate less 1 year	282	71.7	303	72.5						
	rate 1-4 years	62	4.2	64	4.0						
	rate 5-14 years	68	3.6	51	1.3						
CA121	Race/Ethnicity (rates per 10,000)								35		
	rate non-Hispanic white	333	7.6	258	6.1						
	rate non-Hispanic black	58	12.0	54	10.9						
	rate non-Hispanic Native American			4	6.1						
	rate non-Hispanic Asian/Pacific Islander			8	12.1						
	rate non-Hispanic Other	12	6.2	17							
	rate Hispanic	55	8.3	76	8.8						



Code⁴ Health Indicator

Code ⁴ Health Indicator	Kansas				United States		Notes Related to Current ² Data				
	Historical ¹		Current ²		Historical ¹	Current ²	HP2010 Goal ³	Source		County-level?	Comments
	Number	Statistic	Number	Statistic				KS	U.S.		
Selected Causes								35			
CA122	rate malignant neoplasms	14	3.7	13	3.1						
CA123	rate heart diseases	4	1.1	8	1.9						
CA124	rate cerebrovascular diseases	3	0.8	9	2.2						
CA125	rate pneumonia or influenza (flu)	2	0.5	5	1.2						
CA126	rate congenital anomalies	74	19.7	89	21.3						
CA127	rate unintentional injuries	62	16.5	54	12.9						
CA128	rate suicide	3	0.8	2	0.5						
CA129	rate homicide	10	2.7	11	2.6						

Adolescent Health and Behaviors

CA130	% who drove a vehicle under the influence of alcohol				15.3		10.5	10	10		significantly different
CA131	% suffered physical abuse from partner				10.1		9.9	10	10		
CA132	% students who had sexual intercourse				45.0		47.8	10	10		
CA133	% physically coerced into sexual intercourse				8.3		7.8	10	10		
CA134	% who drove a vehicle under the influence of alcohol				15.3		10.5	10	10		
CA135	% suffered physical abuse from partner				10.1		9.9	10	10		
CA136	% students who had sexual intercourse				45.0		47.8	10	10		
CA137	% physically coerced into sexual intercourse				8.3		7.8	10	10		
CA138	% who had sexual intercourse before 13 years				6.5		7.1	10	10		
CA139	% who had at least 4 partners in their lifetime				15.4		14.9	10	10		
CA140	% who had sexual intercourse and used drugs or alcohol prior to sexual intercourse				25.9		22.5	10	10		
CA141	% who have been taught about AIDS or HIV in school				84.8		89.5	10	10		significantly different
CA142	% of those who had sexual intercourse and used a condom				65.8		61.5	10	10		
CA143	% of those who had sexual intercourse and take birth control pills				17.3		16.0	10	10		
CA144	% stopped usual activity due to sadness or despair				25.0			10	10		
CA145	% seriously considered suicide				13.9		14.5	10	10		
CA146	% attempted suicide past year				9.6		11.3	10	10		
CA147	% who tried cigarettes				48.6		50.3	10	10		
CA148	% who smoked before 13 years				14.0		14.2	10	10		
CA149	% who ever smoked daily for a month				14.1		12.4	10	10		
CA150	% who used chewing tobacco, snuff or dip				9.4		7.9	10	10		
CA151	% who smoked cigars, cigarillos, or little cigars				14.4		13.6	10	10		
CA152	% who ever had drink of alcohol				69.7		75.0	10	10		significantly different
CA153	% who drank before 13 years				23.3		23.8	10	10		
CA154	% binge drink in past month				27.1		26.0	10	10		
CA155	% who ever tried marijuana				31.1		38.1	10	10		significantly different
CA156	% who ever used any form of cocaine				8.7		7.2	10	10		
CA157	% who sniffed glue, paints, or sprays to get high				12.5		13.3	10	10		
CA158	% who ever used heroine				4.2		2.3	10	10		significantly different
CA159	% who ever used methamphetamines				6.2		4.4	10	10		significantly different
CA160	% who ever used ecstasy				8.6		5.8	10	10		significantly different
CA161	% who ever used steroid pills or shots				3.9		3.9	10	10		
CA162	% who ever injected illegal drugs				3.3		2.0	10	10		



Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		
CA163	% students who are obese				11.1		13.0	10	10			
CA164	% students who are overweight				14.4		15.8	10	10			
CA165	% of students trying to lose weight				44.6		45.2	10	10			
CA166	% students who take diet pills, powder, or liquid to lose weight without doctors authorization				5.8		5.9	10	10			
CA167	% students who vomited or use laxatives to lose weight				4.8		4.3	10	10			
CA168	% students physically active to breathe hard and increase heart rate for at least an 5 hours per week				45.1		34.7	10	10		significantly different	
CA169	% who watch at least 3 hrs of TV a day				25.9		35.4	10	10		significantly different	
CA170	% who played video or computer games at least 3 hrs per day				20.1		24.9	10	10		significantly different	
CA171	% who still have asthma				10.4		10.9	10	10			

Healthcare Status

CA172	percent of children currently insured				89.8		90.9	28	28	No	
CA173	percent of children lacking consistent insurance coverage in the past year				14.6		15.1	28	28		
CA174	percent of children with a preventive medical visit in the past year				90.4		88.5	28	28		
CA175	percent of children with a preventive dental visit in the past year				78.7		78.4	28	28		
CA176	percent of children age 10 months to 5 years who received a standardized screening for developmental or behavioral problems				24.7		19.5	28	28		
CA177	percent of children age 2-17 with problems requiring counseling who received mental health care				72.3		60.0	28	28		
CA178	percent of children who received care within a medical home				61.3		57.5	28	28		

School and Activities

CA179	percent of children age 6-17 who are adequately engaged in school				81.4		80.5	28	28	No	
CA180	percent of children age 6-17 who have repeated at least one grade				4.9		10.6	28	28	No	
CA181	percent of children age 6-17 who participate in activities outside of school				86.9		80.7	28	28	No	
CA182	percent of children age 1-5 who watched more than one hour of TV or video during a weekday				55.0		54.4	28	28	No	
CA183	% of teens who work at least 10 hours previous week				16.4		11.5	28	28	No	
CA184	% eligible for free lunch program				29.1		33.4	36	36		
CA185	% eligible for reduced lunch				9.8		7.8	36	36		
CA186	% served by English Language learners/limited English proficient				6.2		5.1	36	36		
CA187	Average household size for enrollees				2.5		2.6	36	36		
CA188	% of high school dropouts (grades 9-12)		3.0		3.4			37			
CA189	% students threatened or injured by weapon on campus				8.7		7.8	10	10		
CA190	% felt unsafe and skipped school				5.7		5.5	10	10		

Code ⁴	Health Indicator	Kansas				United States		HP2010 Goal ³	Notes Related to Current ² Data			
		Historical ¹		Current ²		Historical ¹	Current ²		Source		County-level?	Comments
		Number	Statistic	Number	Statistic				KS	U.S.		

CA191	% who had property stolen or damaged on campus				24.8		27.1		10	10		
CA192	% in a physical fight on campus				10.6		12.4		10	10		
CA193	% students offered, given or sold illegal drugs on campus				15.0		22.3		10	10		significantly different

Child's Family

No

CA194	percent of children who live with their mothers, the percentage whose mothers are in excellent or very good physical and emotional health				61.3		56.9		28	28		
CA195	% of children whose mothers exercise, play sports, or participate in physical activity for at least 20 minutes that made her sweat and breathe hard at least 3 times in past week				49.1		51.0		28	28		
CA196	percent of children who live with their fathers, the percentage whose fathers are in excellent or very good physical and emotional health				63.7		62.7		28	28		
CA197	% of children whose father exercise, play sports, or participate in physical activity for at least 20 minutes that made him sweat and breathe hard at least 3 times in past week				57.1		59.7		28	28		
CA198	percent of children who live in households where someone smokes				26.4		26.2		28	28		
CA199	percent of children age 0-5 whose parents made emergency child care arrangements last month and/or a job change for child care reasons last year				34.5		30.7		28	28		
CA200	% of children (0-5 years) who do not receive more than 10 hours of childcare per week				46.6		45.8		28	28		
CA201	% of children whose parents are employed full-time with incomes less than 100% of the federal poverty level				9.7		11.8		28	28		
CA202	% of children (6-11 years) who spent some amount of time alone without adult supervision in the past week				18.1		9.3		28	28		
CA203	% of parents who are often aggravated towards their child				8.9		10.2		28	28		
CA204	% high schoolers who ate fruits and vegetables at least 5 times a day in past week				20.8		21.4		10	10		
CA205	% high schoolers who drank soda pop at least once in past week				33.1		33.8		10	10		
CA206	% high schoolers who drank at least 3 cups of milk a day				17.0		14.1		10	10		significantly different



Code⁴ Health Indicator

Kansas		United States		Notes Related to Current ² Data						
Historical ¹		Current ²		Historical ¹	Current ²	HP2010 Goal ³	Source		County-level?	Comments
Number	Statistic	Number	Statistic				KS	U.S.		

Child and Family's Neighborhood

CA207	percent of children who live in neighborhoods with a park, sidewalks, a library, and a community center			48.8		48.2		28	28	No	
CA208	percent of children who live in neighborhoods with poorly kept or dilapidated housing			18.3		14.6		28	28	No	
CA209	percent of children living in neighborhoods that are supportive			86.7		83.2		28	28	No	
CA210	percent of children living in neighborhoods that are usually or always safe			90.2		86.1		28	28	No	
CA211	% homicide victims	78		104							
CA212	<14		13.6	7.4				38			
CA213	15-17		7.6	2.1				38			
CA214	Juvenile crime of children (5-18) rate per 100,000			3741.0				39			
CA215	% of students that carried weapons			18.4		18.0		10	10		
CA216	% of students that carried guns			7.7		5.2		10	10		significantly different
CA217	% high schoolers in physical fight			30.3		35.5		10	10		significantly different
CA218	% high schoolers in physical fight that needed medical attention			3.8		4.2		10	10		
CA219	% high schoolers who get cigarettes from a store or gas station			15.6		16.0		10	10		
CA220	% high schoolers who get alcohol from a store or gas station			3.9		5.2		10	10		

Code⁴ Health Indicator

Kansas		United States		Notes Related to Current ² Data						
Historical ¹		Current ²		Historical ¹	Current ²	HP2010 Goal ³	Source		County-level?	Comments
Number	Statistic	Number	Statistic				KS	U.S.		

Footnotes and Abbreviations

Historical¹ - Reported for MCH2010 process; see source notes at bottom for data year, where applicable

Current² - Latest available data for MCH2015; see source notes at bottom for data year

Goal³ - Healthy People 2010 Goal

Code⁴ - This is the renumbered code, fixing the issue from CA159 on. Please unhide column B to compare with the old code.

Data Sources

1. US Census, Kansas Information for Communities/US Census Population Estimates
2. US Census, American Community Survey
3. US Census, U.S. Census Current Population Survey
4. Pediatric Nutrition Surveillance System
5. National Immunization Survey
6. Smiles Across Kansas
7. KAN-Be-Healthy annual participation report
8. Child Maltreatment 2007, National Child Abuse and Neglect Data System of the Children's Bureau
9. Childhood Lead Poisoning Prevention Program
10. Youth Risk Behavior Survey 2007
11. Bureau of Public Health Informatics, Kansas Department of Health and Environment, Annual Summary of Vital Statistics
12. Web-based Injury Statistics Query and Reporting System
13. Hospital Discharge Data
14. Kansas Department of Transportation
15. Hospital Discharge Data
16. National Hospital Discharge Survey
17. Kansas Community Health Centers
18. STD Section, Kansas Department of Health and Environment
19. Centers for Disease Control and Prevention STD surveillance 2007
20. NCHS, National Vital Statistics Reports, vol 57 no 12
21. NCHS, National Vital Statistics Reports, vol 56 no 15
22. Census. American Community Survey 2005-2007
23. Kansas Department of Social and Rehabilitation Services
24. Women, Infants, and Children
25. Census. U.S. Census Current Population Survey 2007
26. Kansas Medical Assistance Program Reporting System, KAN-Be-Healthy annual participation report
27. Kansas Medical Assistance Program Reporting System, Well Child for HW21 report
28. National Survey of Children Health 2007
29. Kaiser State Health facts
30. U.S. Health Resources and Service Administration. Adoption data 2006
31. U.S. Health Resources and Service Administration. Abuse and Neglect data 2007
32. Web-based Injury Statistics Query and Reporting System 2003 -2006
33. Web-based Injury Statistics Query and Reporting System 2005
34. U.S. Department of Transportation, Fatality Analysis Reporting System 2008
35. Kansas Department of Health and Environment. Annual Summary of Vital Statistics 2008
36. U.S. National Centers for Education Statistics 2005
37. Kansas State Department of Education
38. US Bureau of Justice. Online Data 2005.
39. Kansas Bureau of Investigation